


SOPORTES / PILLOW-BLOCKS / PALIERS / STEHLAGERGEHÄUSE



UCP200



Soportes Pillow blocks Paliers Stehlagergehäuse No.	Diámetro del eje Shaft Diameter Diamètre du axe Achsendurchmesser d		Dimensiones Dimensions Dimensions Dimension										Rodamiento Bearing Roulement Kugellager No.	Caja Housing Boîte Gehäuse No.	Peso Weight Poids Gewicht (kg)
	in	mm	h	a	e	b	s1	s2	g	w	n	Bi			
UCP 201 201-8	1/2	12	30,2	127	95	38	13	19	14	62	11,5	27,4	UC 201 201-8	P201	0,65
UCP 202 202-10	5/8	15	30,2	127	95	38	13	19	14	62	11,5	27,4	UC 202 202-10	P202	0,63
UCP 203 203-11	11/16	17	30,2	127	95	38	13	19	14	62	11,5	27,4	UC 203 203-11	P203	0,60
UCP 204-12 204	3/4	20	33,3	127	95	38	13	19	14	62	11,5	27,4	UC 204-12 204	P204	0,66
UCP 205-14 205-15 205	7/8 15/16	25	36,5	140	105	38	13	19	15	71	14,3	34,1	UC 205-14 205-15 205	P205	0,80
UCP 205-16 206-18 206	1 1-1/8	30	42,9	165	121	48	17	21	17	83	15,9	38,1	UC 205-16 206-18 206	P206	1,30
UCP 206-19 206-20 207-20 207-21 207-22 207	1-3/16 1-1/4 1-1/4 1-5/16 1-3/8	35	47,6	167	127	48	17	21	18	93	17,5	42,9	UC 206-19 206-20 207-20 207-21 207-22 207	P207	1,60
UCP 207-23 208-24 208-25 208	1-7/16 1-1/2 1-9/16	40	49,2	184	137	54	17	21	18	98	19,0	49,2	UC 207-23 208-24 208-25 208	P208	1,83
UCP 209-26 209-27 209-28 209	1-5/8 1-11/16 1-3/4	45	54,0	190	146	54	17	21	20	106	19,0	49,2	UC 209-26 209-27 209-28 209	P209	2,18
UCP 210-30 210-31 210	1-7/8 1-15/16	50	57,2	206	159	60	20	25	21	114	19,0	51,6	UC 210-30 210-31 210	P210	2,68
UCP 211-32 211-34 211 211-35	2 2-1/8 2-3/16	55	63,5	219	171	60	20	25	23	126	22,2	55,6	UC 211-32 211-34 211 211-35	P211	3,27
UCP 212-36 212 212-38 212-39	2-1/4 2-3/8 2-7/16	60	69,8	241	184	70	20	25	25	138	25,4	65,1	UC 212-36 212 212-38 212-39	P212	4,52
UCP 213-39 213-40 213	2-7/16 2-1/2	65	76,2	265	203	70	25	29	27	151	25,4	65,1	UC 213-39 213-40 213	P213	5,70
UCP 214-43 214-44 214	2-11/16 2-3/4	70	79,4	266	210	72	25	31	27	157	30,2	74,6	UC 214-43 214-44 214	P214	6,66
UCP 215-47 215 215-48	2-15/16 3	75	82,6	275	217	74	25	31	28	163	33,3	77,8	UC 215-47 215 215-48	P215	7,40
UCP 216 UCP 217-52 217	3-1/4	80 85	88,9 95,2	292 310	232 247	78 83	25 25	31 31	30 32	175 187	33,3 34,1	82,6 85,7	UC 216 UC 217-52 217	P216 P217	9,00 11,00
UCP 218-56 218	3-1/2	90	101,6	327	262	88	27	33	33	200	39,7	96,0	UC 218-56 218	P218	13,00

SOPORTES / PILLOW-BLOCKS / PALIERS / STEHLAGERGEHÄUSE

UCPX200




UCFX

Tipo tornillo de fijación / Set-screw type
Type vis de fixation / Typ Befestigungsschraube

Soportes Pillow blocks Paliers Stehlagergehäuse No.	Diámetro del eje Shaft Diameter Diamètre du axe Achsendurchmesser d		Dimensiones Dimensions Dimensions Dimension										Tamaño del perno Bolt size Taille du boulon Stiftgröße	Rodamiento Bearing Roulement Kugellager No.	Caja Housing Boîte Gehäuse No.	Peso Weight Poids Gewicht (kg)
	in	mm	h	l	j	a	n	n1	h1	h0	s	b				
UCPX 205-14	7/8	25	44,4	159	119	51	17	20	17	85	15,9	38,1	M14	UCX 205-14	PX205	1,5
205-15	15/16													205-15		
205														205		
205-16	1													205-16		
UCPX 206-18	1-1/8	30	47,6	175	127	54	17	20	20	93	17,5	42,9	M14	UCX 206-18	PX206	2,1
206														206		
206-19	1-3/16													206-19		
206-20	1-1/4													206-20		
UCPX 207-22	1-3/8	35	54	203	144	57	17	20	21	105	19	49,2	M14	UCX 207-22	PX207	2,7
207														207		
207-23	1-7/16													207-23		
UCPX 208-24	1-1/2	40	58,7	222	156	65	20	23	23	112	19	49,2	M16	UCX 208-24	PX208	3,5
208														208		
UCPX 209-26	1-5/8	45	58,7	222	156	67	20	23	25	116	19	51,6	M16	UCX 209-26	PX209	3,7
209-27	1-11/16													209-27		
209-28	1-3/4													209-28		
209														209		
UCPX 210-30	1-7/8	50	63,5	240	171	71	20	23	24	126	22,2	55,6	M16	UCX 210-30	PX210	4,6
210-31	1-15/16													210-31		
210														210		
210-32	2													210-32		
UCPX 211-34	2-1/8	55	69,8	260	184	79	25	28	29	137	25,4	65,1	M20	UCX 211-34	PX211	6,5
211														211		
211-35	2-3/16													211-35		
211-36	2-1/4													211-36		
UCPX 212		60	76,2	280	203	81	25	28	31	149	25,4	65,1	M20	UCX 212	PX212	7,7
212-38	2-3/8													212-38		
212-39	2-7/16													212-39		
UCPX 213-40	2-1/2	65	76,2	286	203	83	25	28	33	152	30,2	74,6	M20	UCX 213-40	PX213	8,1
213														213		
UCPX 214-44	2-3/4	70	88,9	320	229	85	27	30	34	170	33,3	77,8	M22	UCX 214-44	PX214	10,2
214														214		
UCPX 215		75	88,9	330	229	92	27	30	35	175	33,3	82,6	M22	UCX 215	PX215	10,8
215-48	3													215-48		
UCPX 216			101,6	378	283	99	27	30	37	194	34,1	85,7	M22	UCX 216	PX216	15,3



SOPORTES / PILLOW-BLOCKS / PALIERS / STEHLAGERGEHÄUSE

UCF200



Soportes Pillow blocks Paliers Stehlagergehäuse No.	Diámetro del eje Shaft Diameter Diamètre du axe Achsendurchmesser d		Dimensiones Dimensions Dimensions Dimension									Rodamiento Bearing Roulement Kugellager No.	Caja Housing Boîte Gehäuse No.	Peso Weight Poids Gewicht (kg)
	in	mm	a	e	i	g	l	z	s	n	Bi			
UCF 201 201-8	1/2	12	86	64	15	11	25,5	30,9	12	11,5	27,4	UC 201 201-8	F201	0,58
UCF 202 202-10	5/8	15	86	64	15	11	25,5	30,9	12	11,5	27,4	UC 202 202-10	F202	0,56
UCF 203 203-11	11/16	17	86	64	15	11	25,5	30,9	12	11,5	27,4	UC 203 203-11	F203	0,54
UCF 204-12 204	3/4	20	86	64	15	11	25,5	30,9	12	12,3	31	UC 204-12 204	F204	0,61
UCF 205-14 205-15 205	7/8 15/16	25	95	70	16	13	27	35,8	12	14,3	34,1	UC 205-14 205-15 205	F205	0,80
UCF 206-18 206	1	30	108	83	18	13	31	40,2	12	15,9	38,1	UC 206-18 206	F206	1,11
UCF 206-19 206-20 206-20	1-1/8 1-3/16 1-1/4													
UCF 207-20 207-21 207-22 207	1-1/4 1-5/16 1-3/8	35	117	92	19	15	34	44,4	14	17,5	42,9	UC 207-20 207-21 207-22 207	F207	1,66
UCF 207-23 208-24 208-25 208	1-7/16 1-1/2 1-9/16	40	130	102	21	15	36	51,2	16	19	49,2	UC 207-23 208-24 208-25 208	F208	1,93
UCF 209-26 209-27 209-28 209	1-5/8 1-11/16 1-3/4	45	137	105	22	16	38	52,2	16	19	49,2	UC 209-26 209-27 209-28 209	F209	2,28
UCF 210-30 210-31 210	1-7/8 1-15/16	50	143	111	22	16	40	54,6	16	19	51,6	UC 210-30 210-31 210	F210	2,57
UCF 211-32 211-34 211	2 2-1/8	55	162	130	25	18	43	58,4	19	22,2	55,6	UC 211-32 211-34 211	F211	3,98
UCF 211-35 212-36 212	2-3/16 2-1/4	60	175	143	29	18	48	68,7	19	25,4	65,1	UC 211-35 212-36 212	F212	4,3
UCF 212-38 212-39 212-39	2-3/8 2-7/16													
UCF 213-39 213-40 213	2-7/16 2-1/2	65	187	149	30	22	50	69,7	19	25,4	65,1	UC 213-39 213-40 213	F213	5,49
UCF 214-43 214-44 214	2-11/16 2-3/4	70	193	152	31	22	54	75,4	19	30,2	74,6	UC 214-43 214-44 214	F214	6,47
UCF 215-47 215 215-48	2-15/16 3	75	200	159	34	22	56	78,5	19	33,3	77,8	UC 215-47 215 215-48	F215	6,54
UCF 216 217-52 217	3-1/4	80 85	208 220	165 175	34 36	22 24	58 63	83,3 87,6	23 23	33,3 34,1	82,6 85,7	UC 216 217-52 217	F216 F217	7,86 9,77
UCF 218-56 218	3-1/2	90	235	187	40	24	68	96,3	23	39,7	96,0	UC 218-56 218	F218	11,72


SOPORTES / PILLOW-BLOCKS / PALIERS / STEHLAGERGEHÄUSE UCFX200



Soportes Pillow blocks Paliers Stehlagergehäuse No.	Diámetro del eje Shaft Diameter Diamètre du axe Achsendurchmesser d		Dimensiones Dimensions Dimensions Dimension								Tamaño del perno Bolt size Taille du boulon Stiftgröße	Rodamiento Bearing Roulement Kugellager No.	Caja Housing Boîte Gehäuse No.	Peso Weight Poids Gewicht (kg)
	in	mm	l	j	a2	a1	a	e	n	s				
UCFX 205-14	7/8	25	108	82,5	18	13	30	40,2	11,5	15,9	M10	UCX 205-14	FX205	1,2
205-15	15/16											205-15		
205												205		
205-16	1											205-16		
UCFX 206-18	1-1/8	30	117	92	19	14	34	44,4	13	17,5	M12	UCX 206-18	FX206	1,6
206												206		
206-19	1-3/16											206-19		
206-20	1-1/4											206-20		
UCFX 207-22	1-3/8	35	130	101,5	21	14	38	51,2	13	19	M12	UCX 207-22	FX207	2,0
207												207		
207-23	1-7/16											207-23		
UCFX 208-24	1-1/12	40	137	105	22	14	40	52,2	15	19	M14	UCX 208-24	FX208	2,4
208-25	1-9/16											208-25		
UCFX 208												UCX 208		
209-26	1-5/8											UCX 209-26		
209-27	1-11/16	45	143	111	23	14	40	55,6	15	19	M14	209-27	FX209	2,7
209-28	1-3/4											209-28		
209												209		
UCFX 210-30	1-7/8											UCX 210-30		
210-31	1-15/16	50	162	130	26	20	44	59,4	17	22,2	M16	210-31	FX210	3,7
210												210		
210-32	2											210-32		
UCFX 211-34	2-1/8	55	175	143	29	20	49	68,7	17	25,4	M16	UCX 211-34	FX211	4,9
211												211		
211-35	2-3/16											211-35		
211-36	2-1/4											211-36		
UCFX 212		60	187	149	34	21	57	73,7	17	25,4	M16	UCX 212	FX212	5,7
212-38	2-3/8											212-38		
212-39	2-7/16											212-39		
UCFX 213-40	2-1/2	65	187	149	34	21	59	78,4	17	30,2	M16	UCX 213-40	FX213	6,3
213												213		
UCFX 214-44	2-3/4	70	197	152	37	24	60	81,5	20	33,3	M18	UCX 214-44	FX214	7,0
214												214		
UCFX 215		75	197	152	40	24	68	89,3	20	33,3	M18	UCX 215	FX215	8,4
215-48	3											215-48		
UCFX 216		80	214	171	40	24	70	91,6	20	34,1	M18	UCX 216	FX216	9,4



SOPORTES / PILLOW-BLOCKS / PALIERS / STEHLAGERGEHÄUSE

UCFL200



Soportes Pillow blocks Paliers Stehlagergehäuse No.	Diámetro del eje Shaft Diameter Diamètre du axe Achsendurchmesser d		Dimensiones Dimensions Dimensions Dimension										Rodamiento Bearing Roulement Kugellager No.	Caja Housing Boîte Gehäuse No.	Peso Weight Poids Gewicht (kg)
	in	mm	a	e	b	i	g	l	z	s	n	Bi			
UCFL 201 201-8	1/2	12	113	90	60	15	12	25,5	30,9	12	11,5	27,4	UC 201 201-8	FL201	0,43
UCFL 202 202-10	5/8	15	113	90	60	15	12	25,5	30,9	12	11,5	27,4	UC 202 202-10	FL202	0,42
UCFL 203 203-11	11/16	17	113	90	60	15	12	25,5	30,3	12	11,5	27,4	UC 203 203-11	FL203	0,41
UCFL 204-12 204	3/4	20	113	90	60	15	12	25,5	33,7	12	11,5	31,4	UC 204-12 204	FL204	0,48
UCFL 205-14 205-15 205	7/8 15/16	25	130	99	68	16	14	27	35,8	16	14,3	34,1	UC 205-14 205-15 205	FL205	0,6
UCFL 206-18 206	1 1-1/8	30	148	117	80	18	14	36	40,2	16	15,9	38,1	UC 206-18 206	FL206	0,98
UCFL 206-19 206-20 206-20	1-3/16 1-1/4												UC 206-19 206-20 206-20		
UCFL 207-20 207-21 207-22 207	1-1/4 1-5/16 1-3/8	35	161	130	90	19	16	34	44,4	16	17,5	42,9	UC 207-20 207-21 207-22 207	FL207	1,31
UCFL 207-23 208-24 208-25 208	1-7/16 1-1/2 1-9/16	40	175	144	100	21	16	36	51,2	16	19	49,2	UC 207-23 208-24 208-25 208	FL208	1,53
UCFL 209-26 209-27 209-28 209	1-5/8 1-11/16 1-3/4	45	188	148	108	22	18	38	52,2	19	19	49,2	UC 209-26 209-27 209-28 209	FL209	1,68
UCFL 210-30 210-31 210	1-7/8 1-15/16	50	197	157	115	22	18	40	54,6	19	19	51,6	UC 210-30 210-31 210	FL210	1,88
UCFL 211-32 211-34 211	2 2-1/8	55	224	184	130	25	20	43	58,4	19	22,2	55,6	UC 211-32 211-34 211	FL211	3,1
UCFL 211-35 212-36 212	2-3/16 2-1/4	60	250	202	140	29	20	48	68,7	23	25,4	65,1	UC 211-35 212-36 212	FL212	4
UCFL 212-38 212-39 212-39	2-3/8 2-7/16												UC 212-38 212-39 212-39		
UCFL 213-39 213-40 213	2-7/16 2-1/2	65	258	210	155	30	24	50	69,7	23	25,4	65,1	UC 213-39 213-40 213	FL213	5
UCFL 214-43 214-44 214	2-11/16 2-3/4	70	265	216	160	31	24	54	75,4	23	30,2	74,6	UC 214-43 214-44 214	FL214	5,6
UCFL 215-47 215 215-48	2-15/16 3	75	275	225	165	34	24	56	78,5	23	33,3	77,8	UC 215-47 215 215-48	FL215	6,2
UCFL 216 217-52 217	3-1/4	80 85	290 305	233 248	180 190	34 36	24 26	58 63	83,3 87,6	25 25	33,3 34,1	82,6 85,7	UC 216 217-52 217	FL216 FL217	8,2 9,26
UCFL 218-56 218	3-1/2	90	320	265	205	40	26	68	96,3	25	39,7	96,0	UC 218-56 218	FL218	11,73



SOPORTES / PILLOW-BLOCKS / PALIERS / STEHLAGERGEHÄUSE UCFC200



Soportes Pillow blocks Paliers Stehlagergehäuse No.	Diámetro del eje Shaft Diameter Diamètre du axe Achsendurchmesser d		Dimensiones Dimensions Dimensions Dimension													Rodamiento Bearing Roulement Kugellager No.	Caja Housing Boîte Gehäuse No.	Peso Weight Poids Gewicht (kg)
	in	mm	a	p	i	g	j	k	s	e	f	z	n	Bi				
UCFC 201 201-8	1/2	12	100	78	10	20,5	5	7	12	55,1	62	25,9	11,5	27,4	UC 201 201-8	FC201	0,78	
UCFC 202 202-10	5/8	15	100	78	10	20,5	5	7	12	55,1	62	25,9	11,5	27,4	UC 202 202-10	FC202	0,77	
UCFC 203 203-11	11/16	17	100	78	10	20,5	5	7	12	55,1	62	25,9	11,5	27,4	UC 203 203-11	FC203	0,76	
UCFC 204 204-12	3/4	20	100	78	10	20,5	5	7	12	55,1	62	28,7	12,3	31	UC 204-12 204	FC204	0,81	
UCFC 205-14 205-15	7/8	25	115	90	10	21	6	7	12	63,6	70	29,8	14,3	34,1	UC 205-14 205-15	FC205	1,09	
205	15/16																	
205-16	1																	
UCFC 206-18 206	1-1/8	30	125	100	10	23	8	8	12	70,7	80	32,2	15,9	38,1	UC 206-18 206	FC206	1,51	
206-19 206-20	1-3/16 1-1/4																	
UCFC 207-20 207-21 207-22	1-1/4 1-5/16 1-3/8																	
207	35	135	110	11	26	8	9	14	77,8	90	36,4	17,5	42,9	UC 207-20 207-21 207-22	FC207	1,98		
207-23														1-7/16				
UCFC 208-24 208-25														1-1/2 1-9/16				
208	40	145	120	11	26	10	9	14	84,8	100	41,2	19	49,2	UC 208-24 208-25	FC208	2,32		
UCFC 209-26 209-27 209-28														1-5/8 1-11/16 1-3/4				
209														45				
UCFC 210-30 210-31	1-7/8 1-15/16	50	165	138	10	28	12	14	16	97,6	110	42,6	19		51,6	UC 210-30 210-31	FC210	3,28
210	55																	
UCFC 211-32 211-34														2 2-1/8				
211		55	185	150	13	31	12	15	19	106,1	125	46,4	22,2	55,6	UC 211-32 211-34	FC211	4,2	
211-35	2-3/16																	
UCFC 212-36 212	2-1/4														60			195
212-38 212-39	2-3/8 2-7/16																	
UCFC 213-39 213-40	2-7/16 2-1/2	65	205	170	16	36	14	15	19	120,2	145	55,7	25,4	65,1		UC 213-39 213-40	FC213	
213	70																	
UCFC 214-43 214-44															2-11/16 2-3/4			
214		70	215	177	17	40	14	18	19	125,1	150	61,4	30,2	74,6	UC 214-43 214-44	FC214	7,26	
UCFC 215-47 215	2-15/16														75			
215-48	3																	
UCFC 216 217-52	3-1/4	80	240	200	18	42	16	18	23	141,4	170	67,3	33,3	82,6		UC 216 217-52	FC216	9,92
217	85	250	208	18	45	18	20	23	147,1	180	69,6	34,1	87,5	UC 217-52 217	FC217	11,58		
UCFC 218-56 218														3-1/2				
218	90	265	220	22	50	18	20	23	155,5	190	78,3	39,7	96,0	UC 218-56 218	FC218	13,74		

SOPORTES / PILLOW-BLOCKS / PALIERS / STEHLAGERGEHÄUSE


UCT200



Soportes Pillow blocks Paliers Stehlagergehäuse No.	Diámetro del eje Shaft Diameter Diamètre du axe Achsendurchmesser d		Dimensiones Dimensions Dimensions Dimension															Rodamiento Bearing Roulement Kugellager No.	Caja Housing Boîte Gehäuse No.	Peso Weight Poids Gewicht (kg)
	in	mm	a	g	s	p	q	b	k	e	a	w	j	l	h	b	Bi			
UCT 201 201-8	1/2	12	16	10	51	32	19	51	12	76	89	94	32	21	61	11,5	27,4	UC 201 201-8	T201	0,79
UCT 202 202-10	5/8	15	16	10	51	32	19	51	12	76	89	94	32	21	61	11,5	27,4	UC 202 202-10	T202	0,78
UCT 203 203-11	11/16	17	16	10	51	32	19	51	12	76	89	94	32	21	61	11,5	27,4	UC 203 203-11	T203	0,77
UCT 204-12 204	3/4	20	16	10	51	32	19	51	12	76	89	94	32	21	61	12,3	31,4	UC 204-12 204	T204	0,81
UCT 205-14 205-15	7/8	25	16	10	51	32	19	51	12	76	89	97	32	24	62	14,3	34,1	UC 205-14 205-15	T205	0,92
UCT 205-16 205	1	25	16	10	51	32	19	51	12	76	89	97	32	24	62	14,3	34,1	UC 205-16 205	T205	0,92
UCT 206-18 206	1-1/8	30	16	10	56	37	22	57	12	89	102	113	37	28	70	15,9	38,1	UC 206-18 206	T206	1,01
UCT 206-19 206-20	1-3/16	30	16	10	56	37	22	57	12	89	102	113	37	28	70	15,9	38,1	UC 206-19 206-20	T206	1,01
UCT 207-20 207-21	1-1/4	35	16	13	64	37	22	64	12	89	102	129	37	30	78	17,5	42,9	UC 207-20 207-21	T207	1,70
UCT 207-22 207	1-5/16	35	16	13	64	37	22	64	12	89	102	129	37	30	78	17,5	42,9	UC 207-22 207	T207	1,70
UCT 207-23 208-24	1-7/16	35	16	13	64	37	22	64	12	89	102	129	37	30	78	17,5	42,9	UC 207-23 208-24	T207	1,70
UCT 208-25 208	1-1/2	40	19	16	83	49	29	83	16	102	114	144	49	33	88	19,0	49,2	UC 208-25 208	T208	2,43
UCT 209-26 209-27	1-9/16	40	19	16	83	49	29	83	16	102	114	144	49	33	88	19,0	49,2	UC 209-26 209-27	T208	2,43
UCT 209-28 209	1-3/4	45	19	16	83	49	29	83	16	102	117	144	49	35	87	19,0	49,2	UC 209-28 209	T209	2,58
UCT 210-30 210-31	1-5/8	45	19	16	83	49	29	83	16	102	117	144	49	35	87	19,0	49,2	UC 210-30 210-31	T209	2,58
UCT 211-32 211-34	1-7/8	50	19	16	83	49	29	86	16	102	117	149	49	37	90	19,0	51,6	UC 211-32 211-34	T210	2,78
UCT 211-35 212	1-15/16	50	19	16	83	49	29	86	16	102	117	149	49	37	90	19,0	51,6	UC 211-35 212	T210	2,78
UCT 212-36 212-38	2	55	25	19	102	64	35	95	22	130	146	171	64	38	106	22,2	55,6	UC 212-36 212-38	T211	4,17
UCT 212-39 213-39	2-1/8	55	25	19	102	64	35	95	22	130	146	171	64	38	106	22,2	55,6	UC 212-39 213-39	T211	4,17
UCT 213-40 213	2-3/16	60	32	19	102	64	35	102	22	130	146	194	64	42	119	25,4	65,1	UC 213-40 213	T212	4,90
UCT 214-43 214-44	2-1/4	60	32	19	102	64	35	102	22	130	146	194	64	42	119	25,4	65,1	UC 214-43 214-44	T212	4,90
UCT 215-47 215	2-3/8	65	32	21	111	70	41	121	26	151	167	224	70	44	137	25,4	65,1	UC 215-47 215	T213	7,30
UCT 215-48 216	2-7/16	65	32	21	111	70	41	121	26	151	167	224	70	44	137	25,4	65,1	UC 215-48 216	T213	7,30
UCT 217-52 217	2-1/2	65	32	21	111	70	41	121	26	151	167	224	70	44	137	25,4	65,1	UC 217-52 217	T213	7,30
UCT 218-53 218	2-9/16	70	32	21	111	70	41	121	26	151	167	232	70	46	137	30,2	74,6	UC 218-53 218	T214	7,36
UCT 219-54 219	2-3/4	70	32	21	111	70	41	121	26	151	167	232	70	46	137	30,2	74,6	UC 219-54 219	T214	7,36
UCT 220-55 220	2-11/16	75	32	21	111	70	41	121	26	151	167	232	70	48	140	33,3	77,8	UC 220-55 220	T215	7,99
UCT 221-56 221	2-5/8	75	32	21	111	70	41	121	26	151	167	232	70	48	140	33,3	77,8	UC 221-56 221	T215	7,99
UCT 222-57 222	3	80	32	21	111	70	41	121	26	151	167	232	70	48	140	33,3	77,8	UC 222-57 222	T215	7,99
UCT 223-58 223	3-1/4	85	32	21	111	70	41	121	26	151	167	232	70	48	140	33,3	77,8	UC 223-58 223	T215	7,99
UCT 224-59 224	3-1/2	85	32	21	111	70	41	121	26	151	167	232	70	48	140	33,3	77,8	UC 224-59 224	T215	7,99
UCT 225-60 225	3-3/4	85	32	21	111	70	41	121	26	151	167	232	70	48	140	33,3	77,8	UC 225-60 225	T215	7,99
UCT 226-61 226	3-1/2	85	32	21	111	70	41	121	26	151	167	232	70	48	140	33,3	77,8	UC 226-61 226	T215	7,99
UCT 227-62 227	3-3/4	85	32	21	111	70	41	121	26	151	167	232	70	48	140	33,3	77,8	UC 227-62 227	T215	7,99

SOPORTES / PILLOW-BLOCKS / PALIERS / STEHLAGERGEHÄUSE

UCPH200



Soportes Pillow blocks Paliers Stehlagergehäuse No.	Diámetro del eje Shaft Diameter Diamètre du axe Achsendurchmesser d		Dimensiones Dimensions Dimensions Dimension										Rodamiento Bearing Roulement Kugellager No.	Caja Housing Boîte Gehäuse No.	Peso Weight Poids Gewicht (kg)
	in	mm	h	a	e	b	s1	s2	g	w	n	Bi			
UCPH 201 201-8		12	70	127	95	40	13	19	15	101	11,5	27,4	UC 201 201-8	PH201	0,93
UCPH 202 202-10		15	70	127	95	40	13	19	15	101	11,5	27,4	UC 202 202-10	PH202	0,92
UCPH 203 203-11		17	70	127	95	40	13	19	15	101	1,5	27,4	UC 203 203-11	PH203	0,91
UCPH 204-12 204	3/4	20	70	127	95	40	13	19	15	101	12,3	31,0	UC 204-12 204	PH204	0,96
UCPH 205-14 205-15 205 205-16	7/8 15/16 1	25	80	140	105	50	13	19	16	114	14,3	34,1	UC 205-14 205-15 205 205-16	PH205	1,20
UCPH 206-18 206 206-19 206-20	1-1/8 1-3/16 1-1/4	30	90	165	121	50	17	21	18	130	15,9	38,1	UC 206-18 206 206-19 206-20	PH206	1,60
UCPH 207-20 207-21 207-22 207 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	95	167	127	60	17	21	19	140	17,5	42,9	UC 207-20 207-21 207-22 207 207-23	PH207	2,10
UCPH 208-24 208-25 208	1-1/2 1-9/16	40	100	184	137	70	17	25	19	149	19,0	49,2	UC 208-24 208-25 208	PH208	2,70
UCPH 209-26 209-27 209-28 209	1-5/8 1-11/16 1-3/4	45	105	190	146	70	17	25	20	157	19,0	49,2	UC 209-26 209-27 209-28 209	PH209	3,10
UCPH 210-30 210-31 210	1-7/8 1-15/16	50	110	206	159	70	20	25	22	165	19,0	51,6	UC 210-30 210-31 210	PH210	3,50